

Printable Worksheets from sofatutor.com

Scatter plots








The complete package, **including all problems**, **hints**, **answers**, **and detailed answer explanations** is available for all sofatutor.com subscribers.




Determine the slope-intercept form of the line of best fit.

Choose the correct formula.



This diagram shows the impact of DJ's popularity rating (x-axis) on the number of guests attending (y-axis).

The yellow points on the line represent a DJ with a $50\,\%$ popularity rating having $200\,$ guests in attendance, and one with $80\,\%$ popularity leads to $350\,$ guests.



$$y = 50x + 200$$

$$y=5x-50$$

$$y = 5x + 200$$

$$y=80x+350$$

$$y=5x-80$$

Hints for solving these problems



Determine the slope-intercept form of the line of best fit.

Hint #1

$$m=rac{y_2-y_1}{x_2-x_1}$$

Use this formula to find the slope.

Hint #2

Use the slope-intercept form of a line (y = mx + b) to find the b term by plugging in either point as x and y.

Hint #3

"DJ with a 50% popularity rating has 200 guests in attendance" can be represented by the ordered pair (50,200).

Hint #4

"DJ with 80% popularity leads to 350 guests" can be represented with the ordered pair (80,350).

Hint #5

(50,200) this point gives us $x_1=50$ and $y_1=200$.

(80,350) this point gives us $x_2=80$ and $y_2=350$.




Answers and detailed answer explanations for these problems



Determine the slope-intercept form of the line of best fit.

Answer key: C



Any linear equation can be expressed in slope intercept form as y=mx+b.

1. We first determine the slope $\,m$ by the formula:

•
$$m = \frac{y_2 - y_1}{x_2 - x_1}$$
.

- So we need two points. Those are given by the information of the impact of 50% (80%) popularity rating on the number of guests 200 (350).
- ullet So we have two points (50,200) and (80,350). Now we put the coordinates of those points in the formula above to get

• $m = \frac{350 - 200}{80 - 50} = \frac{150}{30} = 5.$

2. This gives us y=5x+b with an unknown y-intercept. Last we put the coordinates of one point into this equation. We picked to use the point (50,200) and it looks like:

• 200 = 5(50) + b.

• Subtracting 250 results in the y-intercept b = 200 - 250 = -50.

3. So, the linear equation is y = 5x - 50.

